

Ring Type Joint Gaskets

(1)

GLOBAL RESOURCE

FLEXITALLIC A WORLD WIDE ORGANIZATION

LOCAL SERVICE

COMMITED TO MEETING CUSTOMER NEEDS

COMPREHENSIVE **PRODUCT RANGE**

FOR ALL INDUSTRIAL AND PETROCHEMICAL APPLICATIONS. LET FLEXITALLIC TAKE THE PRESSURE

SEALING SOLUTIONS

THE ANSWER IS ALWAYS FLEXITALLIC





ABOUT US

The Flexitallic Group is the international market leader in the manufacture and supply of high quality, high value sealing products.

Based on sales and geographic reach, The Flexitallic Group is the only true global supplier of industrial gaskets. The company maintains a major market position in all pressure ranges of static sealing devices used throughout the world, most notably in the oil and gas industry's upstream and downstream operations.

Our global expertise, combined with local availability, ensures that our customers benefit from first class products, together with outstanding customer service and technical support. We provide a comprehensive range of semi-metallic gaskets, sheet gasket materials, pump and valve seals and metallic gaskets to a wide range of oil and gas, industrial, pulp and paper, and automotive customers. Specialist markets include refining petrochemicals, power generation, food, pharmaceutical, marine, offshore and water treatment markets.



Flexitallic is skilled at providing design and development work to help customers build optimum solutions. We have created some important product leaders in the sealing industry such as Thermiculite, material for high temperature, high pressure applications and Sigma, a PTFE based sheet designed to seal in the harshest chemical environments.

With an ongoing investment in high technology, we are well-equipped to develop innovative and reliable new products.

At all locations, trained technical staff answer product enquires, solve problems and provide 24 hour emergency assistance anywhere in the world.





WORLDWIDE REPUTATION

Flexitallic has been at the forefront of sealing technology for over 100 years. During this time the company has gained an unrivalled reputation as a global supplier of quality products and services.

ABOUT US

An ethos of continuous development and improvement of products and services coupled with close attention to local market needs, ensures the Company's status as a worldwide market leader way into the future.

RESEARCH AND DEVELOPMENT

The dynamic needs of the market place can only be satisfied by manufacturers who are prepared to invest in research and development. Flexitallic works continuously to supply industry with the most advanced products and sealing solutions.

PRODUCT RANGE

The ability of a product to meet the requirements of a dynamic market place is key to the success of any company. Flexitallic has the ability to supply the world's industries with an unparalleled range of products and services - "The Total Sealing Solution".

Flexitallic manufactures a full range of metallic static seals, they are manufactured in types R, oval and octagonal cross-sectional profiles, along with RX, BX, SRX and SBX.

Flexitallic manufactures a full range of metallic static seals. These are available as ring type joint gaskets (page 5), welded membrane gaskets (page 19), and weld ring gaskets (page 19).

All Flexitallic's products are manufactured to the highest quality standards ensuring fitness for purpose with the added convenience of the support of global supply.



Extensive stocking

2

TECHNICAL SUPPORT AND CUSTOMER SERVICE

The company's command of its technology provides a sound basis for technical and commercial customer support. Qualified engineers are always available for technical audits, advice on specifications or troubleshooting, while every sales office has a full team of staff to deal with technical or sales enquires by telephone, fax, or e-mail.

The "customer ethic" is central to Flexitallic's philosophy and this is a part of the global strategy which is apparent in every Flexitallic business throughout the world.



PRODUCT SELECTION

Increasing environmental and economic pressures require that the most suitable product be used in every application. This brochure is intended to aid the process of product selection.

If you require more detailed information to ensure compatibility, please consult Flexitallic's Technical Department who will be pleased to assist.

COMPANY STATEMENT

The Products

Flexitallic designs and manufactures all its products under a quality system which is accredited to BS EN ISO 9001. The operating mission is to produce an unrivalled level of excellence in product specification, performance and availability.

The Environment

In the design and manufacture of its products Flexitallic gives full consideration to environmental concerns. By supplying cost effective and proven sealing products to industry the company contributes not only to greater productivity and reduced downtime, but also to the control and prevention of fugitive emissions.



All products are designed and manufactured under stringent quality controls

QUALITY ASSURED MANUFACTURING

All Flexitallic Ring Type Joints are manufactured from fully traceable materials and are supplied to NACE specifications upon request. Each Ring Type Joint is identified by low stress stamping with style, ring number, API license number, material reference, Product Specification Level (PSL), a unique Flexitallic material identification number, and month and year of manufacture. Such full and comprehensive traceability, from material source with mill certification to final supply, is an essential ingredient in the company's strict quality assurance procedures and exceeds those demanded by the highest API 6A PSL 4.

MATERIALS

The gasket material should be selected to suit the service conditions. It is always recommended that the gasket material be softer than the mating flanges. The more popular Ring Type Joint materials, with the recommended maximum hardness and identification as specified in API 6A, are shown in the table below.

For more highly specialized applications, Ring Type Joints can be machined from DUPLEX steels and other exotic materials such as Monel[®], Inconel[®], Incoloy[®], and Hastelloy[®]. The Technical Department is available to advise on other materials.



Low Stress stamping for identification and traceability

PROTECTIVE COATING

In accordance with API Specifications, soft iron and low carbon steel Ring Type Joints are protected with electroplated zinc to a maximum thickness of 8µm. Alternative material coatings can be supplied on request.



6A-0062

MATERIAL	UNS	MAXIMUN	I HARDNESS	IDENTIFICATION	
	NUMBER	BRINELL*	ROCKWELL B†	IDENTIFICATION	
Soft Iron		90	56	D	
Low Carbon Steel		120	68	S	
4–6% Chrome 1/2% Moly	K42544	130	72	F5	
Type 304 Stainless Steel	S30400	160	83	S304	
Type 316 Stainless Steel	S31600	160	83	S316	
Type 347 Stainless Steel	S34700	160	83	S347	
Type 410 Stainless Steel	S41000	170	86	S410	
Titanium Grade 2	R50400				
Alloy 600	N06600	200			
Alloy 625	N06625	200			
Alloy 800	N08800	200			
Alloy 825	N08825	160			
Hastelloy	N10001	200			
Alloy C276	N10276	200			
SMO 254	S32154	180			
Zeron 100		200			
Super Duplex	S31803				

* Measured with 3000 Kg load except soft iron which is measured with 500 Kg load

† Measured with 100 Kg load and 1/16 inch diameter ball

The Ring Type Joint was initially developed for high pressure/temperature applications found in the petroleum industry and is primarily used in the oil field on drilling and completion equipment. However, today this product range can also be found on valves and pipework assemblies, along with some high integrity pressure vessel joints.


Standard Style R Ring Type Joints are manufactured in accordance with both API 6A and ASME B16.20 size/ratings. Available in both oval and octagonal configurations, both types are interchangeable on the modern octagonal type grooved flanges.

As with all solid metal Ring Type Joints including Style R, it is recommended to replace the ring when flange connection is broken.





DIMENSIONAL DATA – STYLE R



TOLERANCES: (INCHES)

A (width of ring)	±0.008
B, H (height of ring)	±0.020
P (average pitch diameter of ring)	±0.007
23° (angle)	±1/2°

Flexitallic Style R Ring Type Joints can be manufactured in accordance with all relevant standards to suit the following flange designations: API 6A ASME/ANSI B16.5 MSS SP44 (ASME B16.47 SERIES A) BS 1560

Dimensions in mm

			DDECCU					DITCU				APPROX.		
RING		IA	PRESSU NSI, BS & M	IRE CLASS F SS	RATINGS	API (PSI)	PITCH DIAMETER	WIDTH	HEIGH	t of Ring	DISTANCE BETWEEN	GASKET V	/EIGHTS, lbs.
NO.	150	300/600	900	1500	2500	2000/3000	5000	OF RING	OF RING	OVAL	OCTAGONAL	MADE UP	OVAL	OCTAGONAL
-			NOMINAL	PIPE SIZE	(INCHES)			Р	А	В	Н	FLANGES		
R11	-	1/2	-	-	-	-	-	34.13	6.35	11.1	9.5	-	.111	.104
R12	-	-	1/2	1/2	-	-	-	39.69	7.95	14.3	12.7	-	.216	.20
R13	-	3/4	-	-	1/2	-	-	42.86	7.95	14.3	12.7	-	.234	.216
R14	-	-	3/4	3/4	-	-	-	44.45	7.95	14.3	12.7	-	.242	.224
R15	1	-	-	-	-	-	-	47.63	7.95	14.3	12.7	-	.260	.24
R16	-	1	1	1	3/4	-	-	50.80	7.95	14.3	12.7	-	.278	.256
R17	1 1/4	-	-	-	-	-	-	57.15	7.95	14.3	12.7	-	.311	.288
R18	-	1 1/4	1 1/4	1 1/4	1	-	-	60.33	7.95	14.3	12.7	-	.328	.304
R19	1 1/2	-	-	-	-	-	-	65.09	7.95	14.3	12.7	-	.354	.328
R20*	-	1 1/2	1 1/2	1 1/2	-	-	-	68.28	7.95	14.3	12.7	4.1	.372	.344
R21	-	-	-	-	1 1/4	-	-	72.23	11.11	17.5	15.9	-	.660	.643
R22	2	-	-	-	-	-	-	82.55	7.95	14.3	12.7	-	.450	.415
R23*	-	2	-	-	1 1/2	2 1/16••	-	82.55	11.11	17.5	15.9	4.8	.755	.734
R24*	-	-	2	2	-	2 1/16	2	95.25	11.11	17.5	15.9	4.8	.870	.846
R25	2 1/2	-	-	-	-	-	-	101.60	7.95	14.3	12.7	-	.553	.510
R26*	-	2 1/2	-	-	2	2 9/16	-	101.60	11.11	17.5	15.9	4.8	.930	.904
R27*	-	-	2 1/2	2 1/2	-	(2 9/16)	2 9/16	107.95	11.11	17.5	15.9	4.8	1.050	.96
R28	-	-	-	-	2 1/2	-	-	111.13	12.70	19.1	17.5	-	1.255	1.23
R29	3	-	-	-	-	-	-	114.30	7.95	14.3	12.7	-	.622	.575
R30†	-	3	-	-	-	-	-	117.48	11.11	17.5	15.9	-	1.075	1.047
R31*	-	3	3	-	-	3 1/8	-	123.83	11.11	17.5	15.9	4.8	1.130	1.10
R32	-	-	-	-	3	-	-	127.00	12.70	19.1	17.5	-	1.435	1.405
R33	3 1/2	-	-	-	-	-	-	131.76	7.95	14.3	12.7	-	.718	.664
R34	-	3 1/2	-	-	-	-	-	131.76	11.11	17.5	15.9	-	1.200	1.17
R35*	-	-	-	3	-	-	3 1/8	136.53	11.11	17.5	15.9	4.8	1.250	1.21
R36	4	-	-	-	-	-	-	149.23	7.95	14.3	12.7	-	.813	.735
R37*	-	4	4	-	-	4 1/16	-	149.23	11.11	17.5	15.9	4.8	1.360	1.33
R38	-	-	-	-	4	-	-	157.16	15.88	22.4	20.6	-	2.56	2.52
R39*	-	-	-	4	-	-	4 1/16	161.93	11.11	17.5	15.9	4.8	1.480	1.44
R40	5	-	-	-	-	-	-	171.45	7.95	14.3	12.7	-	.935	.865
R41*	-	5	5	-	-	-	-	180.98	11.11	17.5	15.9	4.8	1.66	1.61
R42	-	-	-	-	5	-	-	190.50	19.05	25.4	23.9	-	4.21	4.16
R43	6	-	-	-	-	-	-	193.68	7.95	14.3	12.7	-	1.055	.975
R44*	-	-	-	5	-	-	-	193.68	11.11	17.5	15.9	4.8	1.77	1.73
R45*	-	6	6	-	-	7 1/16	-	211.14	11.11	17.5	15.9	4.8	1.93	1.88
R46*	-	-	-	6	-	-	7 1/16	211.14	12.70	19.1	17.5	4.8	2.39	2.33
R47*	-	-	-	-	6	-	-	228.60	19.05	25.4	23.9	4.1	5.06	4.99
R48	8	-	-	-	-	-	-	247.65	7.95	14.3	12.7	-	1.350	1.24
R49*	-	8	8	-	-	9	-	269.88	11.11	17.5	15.9	4.8	2.47	2.40
R50*	-	-	-	8	-	-	9	269.88	15.88	22.4	20.6	4.1	4.40	4.32
R51	-	-	-	-	8	-	-	279.40	22.23	28.6	27.0	-	8.05	8.17
R52	10	-	-	-	-	-	-	304.80	7.95	14.3	12.7	-	1.66	1.53
R53*	-	10	10	-	-	11	-	323.85	11.11	17.5	15.9	4.8	3.00	2.88
R54*	-	-	-	10	-	-	11	323.85	15.88	22.4	20.6	4.1	5.29	5.18
R55	-	-	-	-	10	-	-	342.90	28.58	36.5	34.9	-	16.23	17.04
R56	12	-	-	-	-	-	-	381.00	7.95	14.3	12.7	-	2.07	1.92
R57*	-	12	12	-	-	13 5/8	-	381.00	11.11	17.5	15.9	4.8	3.48	3.38

Denotes ring number specified in API 6A.
 Nominal Pipe Sizes marked** apply to class rating 2000 only.
 Nominal Pipe Sizes in brackets apply to class rating 3000 only.
 † Ring no. R30 is suitable for lapped flanges only.

		1						J
†	Ring no.	R30 is	suitable	for	lapped	flanges	only.	

Dimensions in mm

			PRESSU	IRE CLASS F	ATINGS			PITCH				APPROX.		
RING		A	NSI, BS & M		Annos	API (F	PSI)	DIAMETER	WIDTH	HEIGH	T OF RING	DISTANCE	GASKET \	VEIGHTS, lbs.
NO.	150	300/600	900	1500	2500	2000/3000	5000	OF RING	OF RING	OVAL	OCTAGONAL	MADE UP	OVAL	OCTAGONAL
			NOMINAL	PIPE SIZE (INCHES)			Р	А	В	Н	FLANGES		
R58	-	-	-	12	-	-	-	381.00	22.23	28.6	27.0	-	11.00	11.13
R59	14	-	-	-	-	-	-	396.88	7.95	14.3	12.7	-	2.16	2.00
R60	-	-	-	-	12	-	-	406.40	31.75	39.7	38.1	-	23.10	23.50
R61	-	14	-	-	-	-	-	419.10	11.11	17.5	15.9	-	3.83	3.73
R62	-	-	14	-	-	-	-	419.10	15.88	22.2	20.6	-	6.84	6.71
R63*	-	-	-	14	-	-	-	419.10	25.40	33.3	31.8	5.6	16.20	16.67
R64	16	-	-	-	-	-	-	454.03	7.95	14.3	12.7	-	2.47	2.29
R65*	-	16	-	-	-	16 3/4**	-	469.90	11.11	17.5	15.9	4.8	4.30	4.18
R66*	-	-	16	-	-	(16)	-	469.90	15.88	22.2	20.6	4.1	7.67	7.53
R67	-	-	-	16	-	-	-	469.90	28.58	36.5	34.9	-	22.30	23.40
R68	18	-	-	-	-	-	-	517.53	7.95	14.3	12.7	-	2.82	2.60
R69*	-	18	-	-	-	-	-	533.40	11.11	17.5	15.9	4.8	4.87	4.74
R70*	-	-	18	-	-	(18)	-	533.40	19.05	25.4	23.9	4.8	11.80	11.64
R71	-	-	-	18	-	-	-	533.40	28.58	36.5	34.9	-	25.20	26.50
R72	20	-	-	-	-	-	-	558.80	7.95	14.3	12.7	-	3.04	2.81
R73*	-	20	-	-	-	21 1/4**	-	584.20	12.7	19.1	17.5	3.3	6.60	6.47
R74*	-	-	20	-	-	(20 3/4)	-	584.20	19.05	25.4	23.9	4.8	12.95	12.75
R75	-	-	-	20	-	-	-	584.20	31.75	39.7	38.1	-	33.30	35.30
R76	24	-	-	-	-	-	-	673.10	7.95	14.3	12.7	-	3.66	3.38
R77	-	24	-	-	-	-	-	692.15	15.88	22.4	20.6	-	11.30	11.10
R78	-	-	24	-	-	-	-	692.15	25.4	33.3	31.8	-	27.10	27.58
R79	-	-	-	24	-	-	-	692.15	34.93	44.5	41.3	-	48.70	49.75
R80	22	-	-	-	-	-	-	615.95	7.95	-	12.7	-	-	3.11
R81	-	22	-	-	-	-	-	635.00	14.29	-	19.1	-	-	8.55
R82*	-	-	-	-	-	-	-	57.14	11.11	-	15.9	4.8	-	.508
R84*	-	-	-	-	-	-	-	63.50	11.11	-	15.9	4.8	-	.564
R85*	-	-	-	-	-	-	-	79.38	12.70	-	17.5	3.3	-	.978
R86*	-	-	-	-	-	-	-	90.50	15.88	-	20.6	4.1	-	1.447
R87*	-	-	-	-	-	-	-	100.03	15.88	-	20.6	4.1	-	1.597
R88*	-	-	-	-	-	-	-	122.83	19.05	-	23.9	4.8	-	2.735
R89*	-	-	-	-	-	-	-	114.30	19.05	-	23.9	4.8	-	2.528
R90*	-	-	-	-	-	-	-	155.58	22.23	-	26.9	4.8	-	4.55
R91*	-	-	-	-	-	-	-	260.25	31.75	-	38.1	4.1	-	15.05
R92	-	-	-	-	-	-	-	228.60	11.11	17.5	15.9	-	2.07	2.02
R93	-	26	-	-	-	-	-	749.30	19.05	-	23.9	-	-	16.33
R94	-	28	-	-	-	-	-	800.10	19.05	-	23.9	-	-	17.44
R95	-	30	-	-	-	-	-	857.25	19.05	-	23.9	-	-	18.69
R96	-	32	-	-	-	-	-	914.40	22.23	-	27.0	-	-	26.65
R97	_	34	_	_	_	-	_	965.20	22.23	_	27.0	_	_	28.13
R98	_	36	-	_	-	-	-	1022.35	22.23	_	27.0	_	-	29.79
R99*	_	-	-	_	-	-	-	234.95	11.11	_	15.9	4.8	-	2.08
R100	-	_	26	-	-	-	_	749.30	28.58	-	34.9	-		
R101	_	_	28	_	-	_	_	800.10	31.75	_	38.1	_		
R102	_	_	30	_	-	_	_	857.25	31.75	_	38.1	_		
R103	_	_	32	_	-	_	_	914.40	31.75	_	38.1	_		
R104	_	_	34	_	_	_	_	965.20	34.93	_	41.3	_		
R105	_	_	36	_	_	_	_	1022.35	34.93	_	41.3	_		

Dimensions in inches

			DDEOOL					DITOU				APPROX.		
RING		A	PRESSU NSI, BS & M	JRE CLASS I SS	RATINGS	API	(PSI)	PITCH DIAMETER	WIDTH	HEIGH	F OF RING	DISTANCE BETWEEN	GASKET V	VEIGHTS, lbs.
NO.	150	300/600	900	1500	2500	2000/3000	5000	OF RING	OF RING	OVAL	OCTAGONAL	MADE UP	OVAL	OCTAGONAL
			NOMINAL	L PIPE SIZE	(INCHES)			Р	А	В	Н	FLANGES		
R11	-	1/2	-	-	-	-	-	1.344	0.250	0.44	0.38	-	.111	.104
R12	-	-	1/2	1/2	-	-	-	1.563	0.313	0.56	0.50	-	.216	.20
R13	-	3/4	-	-	1/2	-	-	1.688	0.313	0.56	0.50	-	.234	.216
R14	-	-	3/4	3/4	-	-	-	1.750	0.313	0.56	0.50	-	.242	.224
R15	1	-	-	-	-	-	-	1.875	0.313	0.56	0.50	-	.260	.24
R16	_	1	1	1	3/4	-	_	2.000	0.313	0.56	0.50	_	.278	.256
R17	1 1/4	_	_	-	-	_	_	2.250	0.313	0.56	0.50	_	.311	.288
R18	_	1 1/4	1 1/4	1 1/4	1	_	_	2.375	0.313	0.56	0.50	_	.328	.304
R19	1 1/2	-	-	-	-	-	-	2.563	0.313	0.56	0.50	-	.354	.328
R20*	_	1 1/2	1 1/2	1 1/2	-	_	_	2.688	0.313	0.56	0.50	0.16	.372	.344
R21	-	-	-	-	1 1/4	-	-	2.844	0.438	0.69	0.63	-	.660	.643
R22	2	-	-	-	-	-	-	3.250	0.313	0.56	0.50	-	.450	.415
R23*	-	2	-	-	1 1/2	2 1/16**	-	3.250	0.438	0.69	0.63	0.19	.755	.734
R24*	-	-	2	2	-	2 1/16	2	3.750	0.438	0.69	0.63	0.19	.870	.846
R25	2 1/2	-	-	-	-	-	-	4.000	0.313	0.56	0.50	-	.553	.510
R26*	-	2 1/2	-	-	2	2 9/16	-	4.000	0.438	0.69	0.63	0.19	.930	.904
R27*	-	-	2 1/2	2 1/2	-	(2 9/16)	2 9/16	4.250	0.438	0.69	0.63	0.19	1.050	.96
R28	-	-	-	-	2 1/2	_	-	4.375	0.500	0.75	0.69	-	1.255	1.23
R29	3	_	_	-	_	_	_	4.500	0.313	0.56	0.50	_	.622	.575
R30†	_	3	_	-	_	_	-	4.625	0.438	0.69	0.63	_	1.075	1.047
R31*	_	3	3	-	_	3 1/8	_	4.875	0.438	0.69	0.63	0.19	1.130	1.10
R32	_	_	_	-	3	_	_	5.000	0.500	0.75	0.69	_	1.435	1.405
R33	3 1/2	_	_	-	_	_	_	5.188	0.313	0.56	0.50	_	.718	.664
R34	_	3 1/2	_	_	_	_	_	5.188	0.438	0.69	0.63	_	1.200	1.17
R35*	_	_	_	3	_	_	3 1/8	5.375	0.438	0.69	0.63	0.19	1.250	1.21
R36	4	_	_	_	_	_	_	5.875	0.313	0.56	0.50	_	.813	.735
R37*	_	4	4	_	_	4 1/16	_	5.875	0.438	0.69	0.63	0.19	1.360	1.33
R38	_	_	_	_	4	_	_	6.188	0.625	0.88	0.81	_	2.56	2.52
R39*	_	_	_	4	_	_	4 1/16	6.375	0.438	0.69	0.63	0.19	1.480	1.44
R40	5	_	_	_	_	_	_	6.750	0.313	0.56	0.50	_	.935	.865
R41*	_	5	5	_	_	_	_	7.125	0.438	0.69	0.63	0.19	1.66	1.61
R42	_	_	_	_	5	_	_	7.500	0.750	1.00	0.94	_	4.21	4.16
R43	6	_	_	_	_	_	_	7.625	0.313	0.56	0.50	_	1.055	.975
R44*	_	_	_	5	_	_	_	7.625	0.438	0.69	0.63	0.19	1.77	1.73
R45*	_	6	6	_	_	7 1/16	_	8.313	0.438	0.69	0.63	0.19	1.93	1.88
R46*	_	_	_	6	_	_	7 1/16	8.313	0.500	0.75	0.69	0.13	2.39	2.33
R47*	_	_	_	_	6	_	_	9.000	0.750	1.00	0.94	0.16	5.06	4.99
R48	8	_	_	_	_	_	_	9.750	0.313	0.56	0.50	_	1.350	1.24
R49*	_	8	8	_	_	9	_	10.625	0.438	0.69	0.63	0.19	2.40	
R50*	_	_	_	8	_	_	9	10.625	0.625	0.88	0.81	0.16	4.40	4.32
R51	_	_	_	_	8	_	_	11.000	0.875	1.13	1.06	-	8.05	8.17
R52	10	_	_	_	_	_	_	12.000	0.313	0.56	0.50	_	1.66	1.53
R53*	-	10	10	_	_	11	_	12.750	0.438	0.69	0.63	0.19	3.00	2.88
R54*	_	-	-	10	_	_	11	12.750	0.625	0.88	0.81	0.16	5.29	5.18
R55	_	_	_	-	10	_	_	13.500	1.125	1.44	1.38	-	16.23	17.04
R56	12	_	_	_	-	_	_	15.000	0.313	0.56	0.69	_	2.07	1.92
R57*	-	12	12	_	_		_	15.000	0.438	0.69	0.63	0.19	3.48	3.38
		12				10 0/0		10.000	0.100	0.00	0.00	0.10	0.40	0.00

Denotes ring number specified in API 6A.
 Nominal Pipe Sizes marked** apply to class rating 2000 only.
 Nominal Pipe Sizes in brackets apply to class rating 3000 only.
 † Ring no. R30 is suitable for lapped flanges only.

Dimensions in inches

RNG ANSI: BS: A MSS: 150 ANSI: BS: A MSS: NOMMULTIPE SIZE (INCHES): NOMMULTIPE SIZE (INCHES): 2000/3000 DMATE TR 5000 OF RING OF RING P Intellift OF RING A Intellift OF RING B Intellift OF RING H DETUNE MADE TP CALL DETUNE MADE TP DETUNE TA DETUNE B DETUNE TA DETUNE TA <thdetune TA DETUNE TA <</thdetune 				DDESSI		ATINGS			PITCH				APPROX.		
NO 100 30000 100 1000 00000 1000 000000 000000 1000 11.3 10.0 11.3 10.0 11.3 10.0 11.3 F859 14 - - - - 15620 0.313 0.56 0.50 - 23.00 23.50 R61 - 14 - - - 16.500 0.425 0.85 0.81 - 3.83 3.73 R64 - - - 16.500 0.425 0.88 0.83 0.19 4.30 4.16 1.677 7.55 R67 - 16 - - - 1.680 0.438 0.69 0.63 0.19 4.30 4.16 R68 19 - 16 - - 1.100 0.438 0.69 0.63 0.19 4.10 1.40 1.40 1.40 1.40 1.40 1.40 1.40 1.40 1.40 1.40<	RING		Δ			ATINGS	API (F	251)			HEIGH	t of Ring	DISTANCE	GASKET	NEIGHTS, lbs.
Debindue IPPE Sate (Notes) p A B I PLANEES R58 - - - - 15.625 0.313 0.56 0.567 1.13 1.06 - 2.16 2.00 R56 - - - 12 - - 16.00 0.258 0.85 0.63 - 2.16 2.20 R567 - - 14 - - - 16.50 0.625 0.88 0.81 - 8.44 6.71 R567 - - 14 - - - 16.50 0.625 0.88 0.81 0.16 7.73 7.73 R57 - 16 - - 18.50 0.438 0.69 0.63 0.19 4.30 4.38 R66 - - 16 - - 18.50 0.58 0.68 0.61 0.43 0.69 0.43 0.69 0.43 0.44 4.4<		150				2500		,		OF RING	OVAL	OCTAGONAL		OVAL	OCTAGONAL
HS 14 - - - - - 1 1 1 0				NOMINA	L PIPE SIZE (II	NCHES)			Р	А	В	н			
H60 - - - 12 - - 1500 1.50	R58	-	-	-	12	-	-	-	15.000	0.875	1.13	1.06	-	11.00	11.13
FR4 - 14 - - - - 16.500 0.032 0.030 0.043 0.	R59	14	-	-	-	-	-	-	15.625	0.313	0.56	0.50	-	2.16	2.00
FR2 -	R60	-	-	-	-	12	-	-	16.000	1.250	1.56	1.50	-	23.10	23.50
FR3* -	R61	-	14	-	-	-	-	-	16.500	0.438	0.69	0.63	-	3.83	3.73
R64 16 - - - 17.875 0.313 0.56 0.50 - 2.47 2.29 R65* - - 16.94* - 16.950 0.625 0.88 0.61 0.63 0.63 0.61 4.30 4.31 R66* - - - 16.90 0.25 0.88 0.61 0.63 0.63 0.61 0.63 0.63 0.61 0.63 0.63 0.61 0.63 0.63 0.61 0.63 0.63 0	R62	-	-	14	-	-	-	-	16.500	0.625	0.88	0.81	-	6.84	6.71
R68* - 16 - - 16 - 16 - 1 15.00 0.125 0.83 0.63 0.61 0.77 7.33 R67 - - 16 - - 0 15.00 0.125 1.44 1.34 - 2.32 2.34 R68 18 - - - - 2.0375 0.313 0.66 0.60 - 2.32 2.34 R70* - 18 - - - 2.0100 0.738 0.60 0.63 0.101 0.44 4.14 R71 - - 18 - - 2.1000 0.133 0.66 0.60 - 3.30 3.53 R74 - 20 - - 2.1000 0.760 0.09 0.13 6.60 6.47 R74 - 20 - 20 - 2.3000 0.760 0.59 0.59 0.53 <td>R63*</td> <td>-</td> <td>-</td> <td>-</td> <td>14</td> <td>-</td> <td>-</td> <td>-</td> <td>16.500</td> <td>1.000</td> <td>1.31</td> <td>1.25</td> <td>0.22</td> <td>16.20</td> <td>16.67</td>	R63*	-	-	-	14	-	-	-	16.500	1.000	1.31	1.25	0.22	16.20	16.67
Heer - 16 - 1(16) - 18.50 0.625 0.88 0.81 0.76 7.33 Re7 - - - - - 18.50 0.625 0.88 0.81 0.76 7.33 Re7 - 18 - - - - 18.50 0.75 0.73 0.56 0.50 0.70 2.230 2.30 Re7 - 18 - - - 2.1000 0.125 1.44 1.33 - 3.20 2.20	R64	16	-	-	-	-	-	-	17.875	0.313	0.56	0.50	-	2.47	2.29
R67 - - - - - - - - - - 23.00 23.40 R68 16 - - - - - 20.375 0.313 0.68 0.50 - 22.30 23.40 R68 16 - - - - 21.000 0.750 1.00 0.94 0.19 1.18 1.14 R71 - - 18 - - (18) - 21.000 0.750 1.00 0.94 0.19 1.125 1.44 1.38 - 25.00 2.013 0.65 0.60 - 3.04 2.10 R72 - 20 - - 21.00 0.750 0.60 0.75 0.60 0.13 6.68 3.33 3.5.30 R74 - - 20 - - 22.00 0.313 0.65 0.50 0.75 0.68 3.33 3.5.30 R75 - 24 - - - 22.00 0.313 0.50 <td>R65*</td> <td>-</td> <td>16</td> <td>-</td> <td>-</td> <td>-</td> <td>16 3/4**</td> <td>-</td> <td>18.500</td> <td>0.438</td> <td>0.69</td> <td>0.63</td> <td>0.19</td> <td>4.30</td> <td>4.18</td>	R65*	-	16	-	-	-	16 3/4**	-	18.500	0.438	0.69	0.63	0.19	4.30	4.18
R68 18 - - - - - 20.375 0.313 0.56 0.50 - 2.82 2.60 R69 - - - - 21.00 0.488 0.63 0.19 4.74 7.4 R70 - - - - 21.00 0.75 0.10 0.44 0.13 0.14 1.18 1.14 R71 - - - - - 21.00 0.313 0.56 0.50 0.75 0.50 0.75 0.50 0.75 0.50 0.75 0.50 0.75 0.50 0.75 0.50 0.75 0.50 0.75 0.50 0.75 0.50 0.75 0.50 7.7 0.75 0.50 7.7 0.75 0.50 7.7 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0	R66*	-	-	16	-	-	(16)	-	18.500	0.625	0.88	0.81	0.16	7.67	7.53
R68° - 18 - - - 21.000 0.438 0.69 0.53 0.19 4.87 4.74 R71 - - 18 - - (16) - 21.000 0.758 1.00 0.94 0.19 1.40 1.40 1.41 R72 20 - - - 21.00 0.500 0.500 0.50 0.94 0.13 6.60 6.75 R74 - 20 - - 21.04" - 23.000 0.500 0.501 0.94 0.19 1.25 1.27 R74 - - 20 - - - 23.000 0.501 0.50 0.50 0.50 0.50 1.00	R67	-	-	-	16	-	-	-	18.500	1.125	1.44	1.38	-	22.30	23.40
R70° - - 18 - - (18) - 21.000 1.750 1.00 0.19 0.19 11.80 11.84 R71 - - - 18 - - - 21.000 1.125 1.144 1.38 - 25.00 25.00 25.00 25.00 25.00 25.00 25.00 25.00 0.50	R68	18	-	-	-	-	-	-	20.375	0.313	0.56	0.50	-	2.82	2.60
R71 - - 18 - - 2 2.00 1.125 1.44 1.38 - 25.20 26.50 R72 20 - - - - - 22.000 0.313 6.60 0.50 0.55 0.69 0.13 6.60 6.47 R74' - - 20 - - 21.00' 23.000 0.500 0.75 0.69 0.61 0.19 12.95 12.75 R75 - - - 20.000 1.250 1.66 1.60 1.0 3.30 3.53 R76 - - - - 27.50 0.625 0.68 0.61 - 1.30 11.10 R77 - 24 - - - 27.50 0.00 1.31 1.25 1.4 3.83 3.83 R77 - 24 - - 27.50 0.31 - 0.50 - 1.10 R78 - - 24.50 0.333 - 0.50 - </td <td>R69*</td> <td>-</td> <td>18</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>21.000</td> <td>0.438</td> <td>0.69</td> <td>0.63</td> <td>0.19</td> <td>4.87</td> <td>4.74</td>	R69*	-	18	-	-	-	-	-	21.000	0.438	0.69	0.63	0.19	4.87	4.74
R72 20 - - - 2 200 0.313 0.56 0.50 - 3.04 2.81 R73* - 20 - - 21 - - 23.000 0.500 0.50 0.00 0.51 0.01 0.55 0.75 0.56 0.10 0.55 0.75 R75 - - 20 - - (20 3.0) 0.75 1.56 1.56 0.53 0.53 0.53 0.55 0.75 77 - 20 - - 23.000 0.750 1.00 1.31 0.50 - 3.30 3.50 R77 - 24 - - - 27.200 0.625 0.88 0.81 - 11.30 11.10 11.	R70*	-	-	18	-	-	(18)	-	21.000	0.750	1.00	0.94	0.19	11.80	11.64
R73* - 20 - - 21 14** - 23.000 0.500 0.75 0.69 0.13 6.60 6.47 R74* - - 20 - - (20 14) - 23.000 0.750 1.00 0.944 0.19 12.95 12.75 R75 24 - - - - 23.000 0.750 1.56 1.50 - 33.30 35.30 R75 24 - - - - 23.000 0.515 0.505 0.50 - 3.30 35.30 R77 - 24 - - - 27.250 0.625 0.88 0.81 - 1.130 11.10 R78 - - 22 - - - 27.250 1.375 1.75 1.83 0.19 - .568 R82* - - - 2.500 0.438 - 0.63 0.19 - .564 R84* - - - - 2.500 <td< td=""><td>R71</td><td>-</td><td>-</td><td>-</td><td>18</td><td>-</td><td>-</td><td>-</td><td>21.000</td><td>1.125</td><td>1.44</td><td>1.38</td><td>-</td><td>25.20</td><td>26.50</td></td<>	R71	-	-	-	18	-	-	-	21.000	1.125	1.44	1.38	-	25.20	26.50
R74* - - 20 - - 23.000 0.750 1.00 0.94 0.19 12.95 12.75 R75 - - - 20 - - - 23.00 1.56 1.56 1.50 - 33.30 35.30 R76 24 - - - 2 2500 0.313 0.56 0.50 - 33.60 36.60 33.60 36.60 33.60 36.60 36.60 36.60 36.60 36.60 36.60	R72	20	-	-	-	-	-	-	22.000	0.313	0.56	0.50	-	3.04	2.81
R75 - - - 20 - - 23,000 1,250 1,56 1,50 - 33,30 35,30 R76 24 - - - - 26,500 0,313 0,56 0,50 - 3,66 3,88 R77 - 24 - - - 27,250 0,00 1,31 1,25 - 22,10 27,58 R79 - - - 24 - - - 27,250 1,35 1,75 1,63 0,19 48,70 49,75 R80 22 - - - - 24,250 0,438 - 0,63 0,19 - - 8,55 R82* - - - - 2,500 0,438 - 0,63 0,19 - - 5,66 R84* - - - - 3,328 0,625 - 0,81 0,16 - 1,47 R86* - - - - 3,338 0,625	R73*	_	20	_	_	_	21 1/4**	_	23.000	0.500	0.75	0.69	0.13	6.60	6.47
R76 24 - - - - 26.500 0.313 0.56 0.50 - 3.66 3.38 R77 - 24 - - - - 27.250 0.625 0.88 0.81 - 11.00 11.01	R74*	_	_	20	_	_	(20 3/4)	_	23.000	0.750	1.00	0.94	0.19	12.95	12.75
R77 - 24 - - - 27,250 0.625 0.88 0.81 - 11.30 11.10 R78 - - 24 - - - 27,250 1.000 1.31 1.25 - 27,10 27,58 R79 - - 24 - - 27,250 1.075 1.75 1.63 0.19 48,70 49,75 R80 22 - - - - 24,250 0.313 - 0.50 - 6,55 R81 - 22 - - - - 2,500 0.438 - 0.63 0.19 - 5.50 R82* - - - - - 3.125 0.500 - 0.69 0.13 - 1.44 R86* - - - - 3.533 0.625 - 0.81 0.16 - 1.447 R87* - - - - 3.533 0.625 - 0.81 0.16 <td>R75</td> <td>_</td> <td>_</td> <td>_</td> <td>20</td> <td>_</td> <td>_</td> <td>_</td> <td>23.000</td> <td>1.250</td> <td>1.56</td> <td>1.50</td> <td>_</td> <td>33.30</td> <td>35.30</td>	R75	_	_	_	20	_	_	_	23.000	1.250	1.56	1.50	_	33.30	35.30
R78 - - 2 2 1.00 1.31 1.25 - 27.10 27.88 R79 - - - 24 - - - 27.250 1.375 1.75 1.83 0.19 48.70 48.70 R80 22 - - - - 27.250 0.313 - 0.50 - - 3.11 R81 - 22 - - - - 22.50 0.43 - 0.63 0.19 - 5.50 R82' - - - - - 2.500 0.438 - 0.63 0.19 - 5.50 R84' - - - - - 2.500 0.438 - 0.63 0.19 - 5.50 R86' - - - - 3.125 0.500 0.438 0.61 0.16 0.1 1.447 R86' - - - - - 3.938 0.625 - 0.81 <th< td=""><td>R76</td><td>24</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>26.500</td><td>0.313</td><td>0.56</td><td>0.50</td><td>_</td><td>3.66</td><td>3.38</td></th<>	R76	24	_	_	_	_	_	_	26.500	0.313	0.56	0.50	_	3.66	3.38
R79 - - 24 - - - 27.250 1.375 1.63 0.19 48.70 49.75 R80 22 - - - - 27.250 0.313 - 0.50 - - 3.11 R81 - 22 - - - - 24.250 0.313 - 0.50 - - 3.11 R84' - - - - 2.500 0.638 - 0.63 0.19 - 556 R84' - - - - - 2.500 0.438 - 0.63 0.19 - 556 R84' - - - - - 3.125 0.500 - 0.69 0.13 - 978 R86' - - - - - 3.563 0.625 - 0.81 0.16 - 1.437 R86' - - - - 4.575 0.750 - 0.94 0.19 2.528 <td>R77</td> <td>-</td> <td>24</td> <td>_</td> <td>_</td> <td>_</td> <td>-</td> <td>-</td> <td>27.250</td> <td>0.625</td> <td>0.88</td> <td>0.81</td> <td>_</td> <td>11.30</td> <td>11.10</td>	R77	-	24	_	_	_	-	-	27.250	0.625	0.88	0.81	_	11.30	11.10
R80 22 - - - - 24,250 0,313 - 0,50 - - 3.11 R81 - 22 - - - - 25,000 0,663 - 0,75 - - 8.55 R82* - - - - 2,500 0,438 - 0,63 0,19 - 5.68 R84* - - - - - 2,250 0,438 - 0,63 0,19 - 5.68 R84* - - - - - 3.125 0,500 - 0,63 0,19 - 5.68 R86* - - - - - 3.938 0,625 - 0.81 0,16 - 1.447 R87* - - - - - 4.875 0.750 - 0.84 0.19 2.252 R88* - - - - - - 4.875 0.750 - 0.84 0.19	R78	-	_	24	_	_	-	-	27.250	1.000	1.31	1.25	_	27.10	27.58
R81 - 22 - - - - 25.000 0.563 - 0.75 - - 8.55 R82* - - - - - 2.250 0.438 - 0.63 0.19 - 5.68 R84* - - - - 2.500 0.438 - 0.63 0.19 - 5.64 R85* - - - - 3.55 0.500 - 0.69 0.13 - 9.78 R86* - - - - 3.533 0.625 - 0.81 0.16 - 1.447 R87* - - - - 4.875 0.750 - 0.94 0.19 - 2.528 R99* - - - - - 4.500 0.750 - 0.94 0.19 - 4.555 R91* - - - - - 6.125 0.875 - 1.06 0.16 - 1.555	R79	-	_	_	24	_	-	-	27.250	1.375	1.75	1.63	0.19	48.70	49.75
R82* - - - - - 2.250 0.438 - 0.63 0.19 - 5.64 R84* - - - - 2.500 0.438 - 0.63 0.19 - 5.64 R85* - - - - 3.125 0.500 - 0.69 0.13 - 9.76 R86* - - - - 3.563 0.625 - 0.81 0.16 - 1.447 R87* - - - - 3.563 0.625 - 0.81 0.16 - 1.597 R88* - - - - 4.500 0.750 - 0.94 0.19 - 2.525 R90* - - - - 4.50 0.750 - 1.06 0.19 - 4.55 R90* - - - - 10.250 1.250 51 0.63 - 2.07 2.02 R91* - -	R80	22	_	_	_	_	-	-	24.250	0.313	_	0.50	_	-	3.11
R84* - - - - 2.500 0.438 - 0.63 0.19 - 5.64 R85* - - - - 3.125 0.500 - 0.69 0.13 - 9.78 R66* - - - - 3.63 0.625 - 0.81 0.16 - 1.447 R67* - - - - 3.938 0.625 - 0.81 0.16 - 1.447 R67* - - - - 3.938 0.625 - 0.81 0.16 - 1.597 R89* - - - - - 4.875 0.750 - 0.94 0.19 - 2.528 R90* - - - - 6.155 0.575 - 1.06 0.19 - 4.55 R91* - - - - 10.250 1.250 - 0.53 - 2.07 2.02 R93 - 26	R81	_	22	_	_	_	_	_	25.000	0.563	_	0.75	_	_	8.55
R85* - - - - 3.125 0.500 - 0.69 0.13 - 9.78 R86* - - - - 3.563 0.625 - 0.81 0.16 - 1.447 R87* - - - - 3.338 0.625 - 0.81 0.16 - 1.597 R88* - - - - 4.875 0.750 - 0.94 0.19 - 2.528 R99* - - - - 4.500 0.750 - 0.94 0.19 - 2.528 R90* - - - - - 6.125 0.875 - 0.16 - 15.05 R91* - - - - 0.848 0.69 0.63 - 2.07 2.02 R93 - 26 - - - - 3.500 0.750 - 0.94 - - 16.33 R94 - 28 -	R82*	_	_	_	_	_	_	_	2.250	0.438	_	0.63	0.19	_	.508
R86* - - - - 3.563 0.625 - 0.81 0.16 - 1.447 R87* - - - - 3.938 0.625 - 0.81 0.16 - 1.597 R88* - - - - 4.875 0.750 - 0.94 0.19 - 2.528 R90* - - - - 4.500 0.750 - 0.94 0.19 - 2.528 R90* - - - - 4.500 0.750 - 0.94 0.19 - 4.55 R91* - - - - 10.250 1.250 - 1.50 0.16 - 15.5 R91 - - - - 9.000 0.438 0.69 0.63 - 2.07 2.07 2.02 2.07 2.07 2.02 2.07 2.07 2.07 2.02 2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07 </td <td>R84*</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>2.500</td> <td>0.438</td> <td>_</td> <td>0.63</td> <td>0.19</td> <td>_</td> <td>.564</td>	R84*	_	_	_	_	_	_	_	2.500	0.438	_	0.63	0.19	_	.564
R87* - - - - 3.938 0.625 - 0.81 0.16 - 1.597 R88* - - - - - 4.875 0.750 - 0.94 0.19 - 2.735 R89* - - - - 4.875 0.750 - 0.94 0.19 - 2.528 R90* - - - - 4.500 0.750 - 0.94 0.19 - 2.528 R90* - - - - - 6.125 0.875 - 1.06 0.19 - 4.505 R91* - - - - - 10.250 1.250 - 1.50 0.16 - 15.05 R92 - - - - 2.9500 0.750 - 0.94 - - 16.33 R94 - 28 - - - 37.50 0.750 - 0.94 - - 18.69	R85*	_	_	_	_	_	_	_	3.125	0.500	_	0.69	0.13	_	.978
R88* - - - - 4.875 0.750 - 0.94 0.19 - 2.735 R89* - - - - - 4.500 0.750 - 0.94 0.19 - 2.528 R90* - - - - 6.125 0.875 - 1.06 0.19 - 4.555 R91* - - - - 6.125 0.875 - 1.06 0.19 - 4.55 R91* - - - - - 10.250 1.250 - 1.50 0.16 - 15.05 R92 - - - - - 9.000 0.438 0.69 0.63 - 2.07 2.02 R93 - 26 - - - 31.500 0.750 - 0.94 - - 16.33 R94 - 28 - - - 33.750 0.750 - 0.94 - - 28.59	R86*	_	_	_	_	_	_	_	3.563	0.625	_	0.81	0.16	_	1.447
R89* - - - - 4.500 0.750 - 0.94 0.19 - 2.528 R90* - - - - - 6.125 0.875 - 1.06 0.19 - 4.55 R91* - - - - 10.250 1.250 - 1.50 0.16 - 15.05 R92 - - - - - 9.000 0.438 0.69 0.63 - 2.07 2.02 R93 - 26 - - - - 29.500 0.750 - 0.94 - - 16.33 R94 - 28 - - - - 31.500 0.750 - 0.94 - - 16.43 R95 - 30 - - - 33.750 0.750 - 0.94 - - 18.69 R96 - 32 - - - 33.750 0.750 - 1.06 -	R87*	_	_	_	_	_	_	_	3.938	0.625	_	0.81	0.16	_	1.597
R90* - - - - 6.125 0.875 - 1.06 0.19 - 4.55 R91* - - - - - 10.250 1.250 - 1.50 0.16 - 15.05 R92 - - - - 9.000 0.438 0.69 0.63 - 2.07 2.02 R93 - 26 - - - - 9.000 0.438 0.69 0.63 - 2.07 2.02 R93 - 26 - - - - 29.500 0.750 - 0.94 - - 16.33 R94 - 28 - - - - 31.500 0.750 - 0.94 - - 16.33 R95 - 30 - - - 33.750 0.750 - 0.94 - - 28.65 R96 - 32 - - - 38.000 0.875 - 1.06	R88*	_	_	_	_	_	_	_	4.875	0.750	_	0.94	0.19	_	2.735
R91* - - - - 10.250 1.250 - 1.50 0.16 - 15.05 R92 - - - - 9.000 0.438 0.69 0.63 - 2.07 2.02 R93 - 26 - - - 9.000 0.438 0.69 0.63 - 2.07 2.02 R93 - 266 - - - 9.000 0.750 - 0.94 - - 16.33 R94 - 28 - - - - 31.500 0.750 - 0.94 - - 17.44 R95 - 30 - - - - 33.750 0.750 - 0.94 - - 18.69 R96 - 32 - - - 38.000 0.875 - 1.06 - 29.79 R97 - 36 - - - 9.250 0.438 - 0.63 0.19 2 <td>R89*</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>4.500</td> <td>0.750</td> <td>_</td> <td>0.94</td> <td>0.19</td> <td>_</td> <td>2.528</td>	R89*	_	_	_	_	_	_	_	4.500	0.750	_	0.94	0.19	_	2.528
R92 - - - - 9.000 0.438 0.69 0.63 - 2.07 2.02 R93 - 26 - - - - 29.500 0.750 - 0.94 - - 16.33 R94 - 28 - - - - 31.500 0.750 - 0.94 - - 16.33 R94 - 28 - - - - 31.500 0.750 - 0.94 - - 17.44 R95 - 30 - - - - 33.750 0.750 - 0.94 - - 18.69 R96 - 32 - - - - 36.000 0.875 - 1.06 - 29.79 28.13 R96 - 36 - - - 40.250 0.875 - 1.06 - 29.79 R99* - - 26 - - - 29.500 <td< td=""><td>R90*</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>6.125</td><td>0.875</td><td>_</td><td>1.06</td><td>0.19</td><td>_</td><td>4.55</td></td<>	R90*	_	_	_	_	_	_	_	6.125	0.875	_	1.06	0.19	_	4.55
R92 - - - - 9.000 0.438 0.69 0.63 - 2.07 2.02 R93 - 26 - - - - 29.500 0.750 - 0.94 - - 16.33 R94 - 28 - - - - 31.500 0.750 - 0.94 - - 16.33 R94 - 28 - - - - 31.500 0.750 - 0.94 - - 17.44 R95 - 30 - - - - 33.750 0.750 - 0.94 - - 18.69 R96 - 32 - - - - 36.000 0.875 - 1.06 - 29.79 28.13 R96 - 36 - - - 40.250 0.875 - 1.06 - 29.79 R99* - - 26 - - - 29.500 <td< td=""><td></td><td>-</td><td>-</td><td>-</td><td>_</td><td>_</td><td>-</td><td>_</td><td></td><td></td><td>-</td><td></td><td></td><td>-</td><td></td></td<>		-	-	-	_	_	-	_			-			-	
R93 - 26 - - - - 29,500 0.750 - 0.94 - - 16.33 R94 - 28 - - - - 31,500 0.750 - 0.94 - - 17.44 R95 - 30 - - - - 33,750 0.750 - 0.94 - - 18.69 R96 - 32 - - - - 36.000 0.875 - 1.06 - - 28.65 R97 - 34 - - - - 38.000 0.875 - 1.06 - - 28.13 R98 - 36 - - - - 40.250 0.875 - 1.06 - 29.79 29.79 R99* - - 26 - - - 29.500 1.125 - 1.38 - - 2.08 R100 - - 28 -		-	-	-	_	_	-	_			0.69			2.07	
R94 - 28 - - - - 31.500 0.750 - 0.94 - - 17.44 R95 - 30 - - - - 33.750 0.750 - 0.94 - - 18.69 R96 - 32 - - - - 36.000 0.875 - 1.06 - - 26.65 R97 - 34 - - - - 38.000 0.875 - 1.06 - - 28.13 R98 - 36 - - - - 40.250 0.875 - 1.06 - - 29.79 R98 - 36 - - - - 9.250 0.438 - 0.63 0.19 - 2.08 R100 - - 28 - - - 29.500 1.125 - 1.38 - - R101 - - 28 - -		-	26	-	_	_	-	_					-		
R95 - 30 - - - - 33.750 0.750 - 0.94 - - 18.69 R96 - 32 - - - - 36.000 0.875 - 1.06 - - 26.65 R97 - 34 - - - - 38.000 0.875 - 1.06 - - 28.13 R98 - 36 - - - - 40.250 0.875 - 1.06 - - 28.13 R98 - 36 - - - - 40.250 0.875 - 1.06 - - 29.79 R99* - - - - - 9.250 0.438 - 0.63 0.19 - 2.08 R100 - - 28 - - - 29.500 1.125 - 1.50 - - 2.08 R101 - - 28 - -		_		_	-	_	-	_			-		_		
R96 - 32 - - - - 36.000 0.875 - 1.06 - - 26.65 R97 - 34 - - - - 38.000 0.875 - 1.06 - - 26.65 R97 - 34 - - - - 38.000 0.875 - 1.06 - - 28.13 R98 - 36 - - - - 40.250 0.875 - 1.06 - - 28.13 R98 - - - - - - 40.250 0.875 - 1.06 - - 29.79 R99* - - - - 9.250 0.438 - 0.63 0.19 - 2.08 - R100 - - 28 - - - 29.500 1.125 - 1.50 - - R101 - - 28 - - - <				_	_	_	_						_		
R97 - 34 - - - - 38.000 0.875 - 1.06 - - 28.13 R98 - 36 - - - - 40.250 0.875 - 1.06 - - 28.13 R98 - 36 - - - - 40.250 0.875 - 1.06 - - 28.13 R99* - - - - - - 9250 0.875 - 1.06 - - 28.13 R99* - - - - - 9250 0.438 - 0.63 0.19 - 2.08 R100 - - 26 - - - 29.500 1.125 - 1.38 - - 2.08 R101 - - 28 - - - 31.500 1.250 - 1.50 - - R102 - - 32 - - - <th< td=""><td></td><td>_</td><td></td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td></th<>		_		_	_	_	_	_					_		
R98 - 36 - - - 40.250 0.875 - 1.06 - - 29.79 R99* - - - - 9.250 0.438 - 0.63 0.19 - 29.79 R100 - - - - - 9.250 0.438 - 0.63 0.19 - 2.08 R100 - - 26 - - - 29.500 1.125 - 1.38 - 2.08 R101 - - 28 - - - 29.500 1.125 - 1.38 - - R101 - - 28 - - - 31.500 1.250 - 1.50 - - R102 - - 30 - - - 33.750 1.250 - 1.50 - R103 - - 32 - - - 38.000 1.375 - 1.63 - - - <td></td> <td>_</td> <td></td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td>		_		_	_	_	_						_		
R99* - - - - - 9.250 0.438 - 0.63 0.19 - 2.08 R100 - - 26 - - - 29.500 1.125 - 1.38 - 2.08 R101 - - 28 - - - 31.500 1.250 - 1.38 - - R102 - - 30 - - - 33.750 1.250 - 1.50 - - R103 - - 32 - - - - 36.000 1.250 - 1.50 - R103 - - 32 - - - 36.000 1.250 - 1.50 - R104 - - 34 - - - 38.000 1.375 - 1.63 - - 2.08		_		_	_	_	_						_		
R100 - - 26 - - - 29.500 1.125 - 1.38 - R101 - - 28 - - - 31.500 1.250 - 1.38 - R102 - - 30 - - - - 33.750 1.250 - 1.50 - R103 - - - - - 36.000 1.250 - 1.50 - R103 - - - - 36.000 1.250 - 1.50 - R104 - - 34 - - - 38.000 1.375 - 1.63 -		_		_	_	_	_	_							
R101 - - 28 - - - 31.500 1.250 - 1.50 - R102 - - 30 - - - - 33.750 1.250 - 1.50 - R103 - - 32 - - - - 36.000 1.250 - 1.50 - R104 - - 34 - - - - 38.000 1.375 - 1.63 -		_	_	26	_	_		_							
R102 - - 30 - - - 33.750 1.250 - 1.50 - R103 - - 32 - - - 36.000 1.250 - 1.50 - R104 - - 34 - - - 38.000 1.375 - 1.63 -		_			_	_									
R103 - - 36.000 1.250 - 1.50 - R104 - - 34 - - - 38.000 1.375 - 1.63 -		_			_	_									
R104 34 38.000 1.375 - 1.63 -		_			_	_									
		_													
		_				_									
	105			30		-			40.200	1.375		1.05			

* Denotes ring number specified in API 6A.

Nominal Pipe Sizes marked** apply to class rating 2000 only. Nominal Pipe Sizes in brackets apply to class rating 3000 only.

9

The Style RX is an adaptation of the standard Style R which energizes on assembly. The RX is designed to fit the same groove design as a standard Style R, making the joints interchangeable.

Consideration should be given to the difference in finished make-up distance.


The modified design uses an energizing on assembly effect which improves the efficiency of the seal.

Designs are also available for Subsea applications.



Style RX

DIMENSIONAL DATA - STYLE RX



NOTE 1:

The pressure passage hole illustrated in the Ring Type Joint cross section ensures equalization of pressure which may be trapped in the grooves, it is in rings RX82 through RX91 only. Center line of hole shall be located at mid point of dimension "c" (width of flat). Hole diameter shall be as follows:

0.06 inches for rings RX82 through RX85; 0.09 inches for rings RX86 and RX87; 0.12 inches for rings RX88 through RX91.

TOLERANCES: (INCHES))
A* (width of ring)	+0.008,-0.000
H* (height of ring)	+0.008,-0.000
OD (od of ring)	+0.020,-0.000
23° (angle)	± 1/2°

*A plus tolerance of 0.008 inches for width 'A' and height 'H' is permitted, provided the variation in width or height does not exceed 0.004 inches throughout its entire circumference.

Dimensions in mm

	PRESS	URE CLASS RATI	NG (PSI)	PITCH	OUTSIDE	WIDTH	HEIGHT	
NO.	2000	3000	5000	DIAMETER OF RING	DIAMETER OF RING	OF RING	OF RING	WEIGHT, Ibs.
	NOMI	NAL PIPE SIZE (IN	CHES)	P	OD	A	Н	
RX20	-	-	-	68.26	76.20	8.73	19.05	0.527
RX20†	-	-	2 1/16	68.26	76.20	8.73	19.05	0.527
RX23	2 1/16	-	-	82.55	93.27	11.91	25.40	1.15
RX24	-	2 1/16	2 1/16	95.25	105.97	11.91	25.40	1.33
RX25†	-	-	3 1/8	101.60	109.54	8.73	19.05	1.42
RX26	2 9/16	-	-	101.60	111.92	11.91	25.40	1.50
RX27	-	2 9/16	2 9/16	107.95	118.27	11.91	25.40	1.73
RX31	3 1/8	3 1/8	-	123.83	134.54	11.91	25.40	1.91
RX35	-	-	3 1/8	136.53	147.24	11.91	25.40	2.09
RX37	4 1/16	4 1/16	-	149.23	159.94	11.91	25.40	2.27
RX39	-	-	4 1/16	161.93	172.64	11.91	25.40	2.54
RX41	-	-	-	180.98	191.69	11.91	25.40	2.72
RX44	-	-	-	193.68	204.39	11.91	25.40	2.96
RX45	7 1/16	7 1/16	-	211.14	221.84	11.91	25.40	3.66
RX46	-	-	7 1/16	211.14	222.25	13.49	28.58	8.56
RX47	-	-	-	228.60	245.27	19.84	41.28	3.79
RX49	9	9	-	269.88	280.59	11.91	25.40	5.36
RX50	-	-	9	269.88	283.37	16.67	31.75	4.56
RX53	11	11	-	323.85	334.57	11.91	25.40	6.45
RX54	-	-	11	323.85	337.34	16.67	31.75	5.36
RX57	13 5/8	13 5/8	-	381.00	391.72	11.91	25.40	26.40
RX63	-	-	-	419.10	441.72	26.99	50.80	6.63
RX65	16 3/4	-	-	469.90	480.62	11.91	25.40	9.39
RX66	-	16 3/4	-	469.90	457.99	16.67	31.75	7.52
RX69	-	-	-	533.40	544.12	11.91	25.40	20.14
RX70	-	-	-	533.40	550.07	19.84	41.28	11.63
RX73	21 1/4	-	-	584.20	596.11	13.49	31.75	22.10
RX74	-	20 3/4	-	584.20	600.87	19.84	41.28	0.790
RX82	-	-	-	57.15	67.87	11.91	25.40	0.880
RX84	-	-	-	63.50	74.22	11.91	25.40	0.880
RX85	-	-	-	79.38	90.09	13.49	25.40	1.79
RX86	-	-	-	90.49	103.58	15.08	28.58	1.98
RX87	-	-	-	100.01	113.11	15.08	28.58	3.22
RX88	-	-	-	123.83	139.30	17.46	31.75	2.98
RX89	-	-	-	114.30	129.78	18.26	31.75	6.82
RX90	-	-	-	155.58	174.63	19.84	44.45	17.10
RX91	-	-	-	260.35	286.94	30.16	45.24	3.31
* RX99	-	-	-	234.95	245.67	11.91	25.40	-
RX201†	-	-	1 3/8	46.04	51.46	5.74	11.30	-
* RX205†	-	-	1 13/16	57.15	62.31	5.56	11.10	-
* RX210†	-	-	2 9/16	88.90	97.63	9.53	19.05	-
* RX215	-	-	4 1/16	130.18	140.89	11.91	25.40	-
* RX215†	-	-	4 1/16 x 4 1/4	130.18	140.89	11.91	25.40	

* API allows more liberal tolerances on RX 201–215
 † Denotes API Ring Type Joint gaskets for segmented flanges for dual completions to API Standard 6A.

Dimensions in inches

		PRESSI	JRE CLASS RAT	ING (PSI)	PITCH	OUTSIDE	WIDTH	HEIGHT	
-	NO.	2000	3000	5000	DIAMETER OF RING	DIAMETER OF RING	OF	OF	WEIGHT, Ibs.
		NOMIN	AL PIPE SIZE (IN	ICHES)	P	OP RING	A	H	
	RX20	-	-	-	2.688	3.000	0.344	0.750	0.527
	RX20†	-	-	2 1/16	2.688	3.000	0.344	0.750	0.527
	RX23	2 1/16	-	-	3.250	3.672	0.469	1.000	1.15
	RX24	-	2 1/16	2 1/16	3.750	4.172	0.469	1.000	1.33
	RX25†	-	-	3 1/8	4.000	4.313	0.344	0.750	1.42
	RX26	2 9/16	-	-	4.000	4.406	0.469	1.000	1.50
	RX27	-	2 9/16	2 9/16	4.250	4.656	0.469	1.000	1.73
	RX31	3 1/8	3 1/8	-	4.875	5.297	0.469	1.000	1.91
	RX35	-	-	3 1/8	5.375	5.797	0.469	1.000	2.09
	RX37	4 1/16	4 1/16	-	5.875	6.297	0.469	1.000	2.27
	RX39	-	-	4 1/16	6.375	6.797	0.469	1.000	2.54
	RX41	-	-	-	7.125	7.547	0.469	1.000	2.72
	RX44	-	-	-	7.625	8.047	0.469	1.000	2.96
	RX45	7 1/16	7 1/16	-	8.313	8.734	0.469	1.000	3.66
	RX46	-	-	7 1/16	8.313	8.750	0.531	1.125	8.56
	RX47	-	-	-	9.000	9.656	0.781	1.625	3.79
	RX49	9	9	-	10.625	11.047	0.469	1.000	5.36
	RX50	-	-	9	10.625	11.156	0.656	1.250	4.56
	RX53	11	11	-	12.750	13.172	0.469	1.000	6.45
	RX54	-	-	11	12.750	13.281	0.656	1.250	5.36
	RX57	13 5/8	13 5/8	-	15.000	15.422	0.469	1.000	26.40
	RX63	-	-	-	16.500	17.391	1.063	2.000	6.63
	RX65	16 3/4	-	-	18.500	18.922	0.469	1.000	9.39
	RX66	-	16 3/4	-	18.500	50.031	0.656	1.250	7.52
	RX69	-	-	-	21.000	21.422	0.469	1.000	20.14
	RX70	-	-	-	21.000	21.656	0.781	1.625	11.63
	RX73	21 1/4	-	-	23.000	23.469	0.531	1.250	22.10
	RX74	-	20 3/4	-	23.000	23.656	0.781	1.625	0.790
	RX82	-	-	-	2.250	2.672	0.469	1.000	0.880
	RX84	-	-	-	2.500	2.922	0.469	1.000	0.880
	RX85	-	-	-	3.125	3.547	0.531	1.000	1.79
	RX86	-	-	-	3.563	4.078	0.594	1.125	1.98
	RX87	-	-	-	3.938	4.453	0.594	1.125	3.22
	RX88	-	-	-	4.875	5.484	0.688	1.250	2.98
	RX89	-	-	-	4.500	5.109	0.719	1.250	6.82
	RX90	-	-	-	6.125	6.875	0.781	1.750	17.10
	RX91	-	-	-	10.250	11.297	1.188	1.781	3.31
	* RX99	-	-	-	9.250	9.672	0.469	1.000	-
	RX201†	-	-	1 3/8	1.813	2.026	0.226	0.445	-
	* RX205†	-	-	1 13/16	2.250	2.453	0.219	0.437	-
	* RX210†	-	-	2 9/16	3.500	3.844	0.375	0.750	-
	* RX215	-	-	4 1/16	5.125	5.547	0.469	1.000	-
	* RX215 †	-	-	4 1/16 x 4 1/4	5.125	5.547	0.469	1.000	-

* API allows more liberal tolerances on RX 201–215
† Denotes API Ring Type Joint gaskets for segmented flanges for dual completions to API Standard 6A.

Designs are also available for Subsea applications.

STYLE BX

The Style BX energized Ring Type Joints, manufactured in accordance with API 6A, are designed for use on pressurized systems up to 20,000 psi.

When correctly fitted, the style BX gasket allows virtual face to face contact of the flange faces which means that the gasket is fully trapped on both the inner and outer diameters.


All BX gaskets incorporate a pressure balance hole to ensure equalization of pressure which may be trapped in the grooves.



Style BX

Designs are also available for Subsea applications.

DIMENSIONAL DATA – STYLE BX



NOTE 1: Radius of the ring shall be 8% to 12% of the ring height 'H'.

TOLERANCES: (INCHES)

A* (width of ring)	+0.008,-0.000
D (hole size)	± 0.02
H* (height of ring)	+0.008,-0.000
OD (od of ring)	+0.000,-0.005
23° (angle)	± 1/4°

One pressure passage hole required per ring on center line *A plus tolerance of 0.008 inches for width 'A' and height 'H' is permitted, provided the variation in width or height does not exceed 0.004 inches throughout its entire circumference.

STYLE BX

Dimensions in mm

	PRESSURE CLASS RATING (PSI)				OUTSIDE	HEIGHT	WIDTH		GASKET
RING NO.	5000	10000	15000	20000	DIAMETER OF RING	OF RING	OF RING	HOLE SIZE	WEIGHT, Ibs.
		NOMINAL PIPE	SIZE (INCHES)		OD	Н	А	D	FOR API 6BX FLANGES
BX150	-	-	-	-	72.19	9.30	9.30	1.59	0.295
BX151	-	1 13/16	1 13/16	1 13/16	76.40	9.63	9.63	1.59	0.337
BX152	-	2 1/16	2 1/16	2 1/16	84.68	10.24	10.24	1.59	0.425
BX153	-	2 9/16	2 9/16	2 9/16	100.94	11.38	11.38	1.59	0.632
BX154	-	3 1/16	3 1/16	3 1/16	116.84	12.40	12.40	1.59	0.875
BX155	-	4 1/16	4 1/16	4 1/16	147.96	14.22	14.22	1.59	1.22
BX156	-	7 1/16	7 1/16	7 1/16	237.92	18.62	18.62	3.18	4.14
BX157	-	9	9	9	294.46	20.98	20.98	3.18	6.55
BX158	-	11	11	11	352.04	23.14	23.14	3.18	9.60
BX159	-	13 5/8	13 5/8	13 5/8	426.72	25.70	25.70	3.18	14.41
BX160	13 5/8	-	-	-	402.59	23.83	13.74	3.18	6.75
BX161	16 3/4	-	-	-	491.41	28.07	16.21	3.18	-
BX162	16 3/4	16 3/4	16 3/4	-	475.49	14.22	14.22	1.59	-
BX163	18 3/4	-	-	-	556.16	30.10	17.37	3.18	-
BX164	-	18 3/4	18 3/4	-	570.56	30.10	24.59	3.18	-
BX165	21 1/4	-	-	-	624.71	32.03	18.49	3.18	-
BX166	-	21 1/4	-	-	640.03	32.03	26.14	3.18	-
BX167*	-	-	-	-	759.36	35.87	13.11	1.59	-
BX168†	-	-	-	-	765.25	35.87	16.05	1.59	-
BX169**	-	-	-	-	173.51	15.85	12.93	1.59	-
BX170	-	-	-	-	218.03	14.22	14.22	1.59	-
BX171	-	-	-	-	267.44	14.22	14.22	1.59	-
BX172	-	-	-	-	333.07	14.22	14.22	1.59	-
BX303††	-	-	-	-	852.75	37.95	16.97	1.59	-

* BX167 is suitable for 26 3/4 Nominal Pipe Size 2,000 psi rating.
** BX169 is suitable for 5 3/4 Nominal Pipe Size 10,000 psi rating.
† BX168 is suitable for 26 3/4 Nominal Pipe Size 3,000 psi rating.
† BX303 is suitable for 30 Nominal Pipe Size 2,000 and 3,000 psi ratings.

Designs are also available for Subsea applications.

STYLE BX

Dimensions in inches

		PRESSURE CLA	SS RATING (PSI)		OUTSIDE	HEIGHT	WIDTH		GASKET
RING NO.	5000	10000	15000	20000	DIAMETER OF	OF RING	OF RING	HOLE SIZE	WEIGHT, Ibs.
110.		NOMINAL PIPE	SIZE (INCHES)		RING OD	Н	A	D	FOR API 6BX FLANGES
BX150	-	-	-	-	2.842	0.366	0.366	0.06	0.295
BX151	-	1 13/16	1 13/16	1 13/16	3.008	0.379	0.379	0.06	0.337
BX152	-	2 1/16	2 1/16	2 1/16	3.334	0.403	0.403	0.06	0.425
BX153	-	2 9/16	2 9/16	2 9/16	3.974	0.448	0.448	0.06	0.632
BX154	-	3 1/16	3 1/16	3 1/16	4.600	0.488	0.488	0.06	0.875
BX155	-	4 1/16	4 1/16	4 1/16	5.825	0.560	0.560	0.06	1.22
BX156	-	7 1/16	7 1/16	7 1/16	9.367	0.733	0.733	0.12	4.14
BX157	-	9	9	9	11.593	0.826	0.826	0.12	6.55
BX158	-	11	11	11	13.860	0.911	0.911	0.12	9.60
BX159	-	13 5/8	13 5/8	13 5/8	16.800	1.012	1.012	0.12	14.41
BX160	13 5/8	-	-	-	15.850	0.938	0.541	0.12	6.75
BX161	16 3/4	-	-	-	19.347	1.105	0.638	0.12	-
BX162	16 3/4	16 3/4	16 3/4	-	18.720	0.560	0.560	0.06	-
BX163	18 3/4	-	-	-	21.896	1.185	0.684	0.12	-
BX164	-	18 3/4	18 3/4	-	22.463	1.185	0.968	0.12	-
BX165	21 1/4	-	-	-	24.595	1.261	0.728	0.12	-
BX166	-	21 1/4	-	-	25.198	1.261	1.029	0.12	-
BX167*	-	-	-	-	29.896	1.412	0.516	0.06	-
BX168†	-	-	-	-	30.128	1.412	0.632	0.06	-
BX169**	-	-	-	-	6.831	0.624	0.509	0.06	-
BX170	-	-	-	-	8.584	0.560	0.560	0.06	-
BX171	-	-	-	-	10.529	0.560	0.560	0.06	-
BX172	-	-	-	-	13.113	0.560	0.560	0.06	-
BX303††	-	-	-	-	33.573	1.494	0.668	0.06	-

* BX167 is suitable for 26 3/4 Nominal Pipe Size 2,000 psi rating.
** BX169 is suitable for 5 3/4 Nominal Pipe Size 10,000 psi rating.
† BX168 is suitable for 26 3/4 Nominal Pipe Size 3,000 psi rating.
† BX303 is suitable for 30 Nominal Pipe Size 2,000 and 3,000 psi ratings.

Designs are also available for Subsea applications.

SPECIALIZED RING TYPE JOINTS

RUBBER COATED RING TYPE JOINTS

This is an oval Ring Type Joint totally enclosed in a nitrile rubber coating. The Ring Type Joint material is usually soft iron or low carbon steel.


This type of gasket has three main functions:

- It is used in pressure testing to minimize damage to flanges.
- The rubber contact points provide additional seals while protecting the flange surfaces.
- It provides increased assurance against corrosion, which can occur between conventional Ring Type Joints and the engaged surfaces of the groove.

A wide range of standard sizes are available, with special sizes available upon request.




Rubber Coated Ring Joint



Section through a Rubber Ring Joint



Special BOP Type Joint



Section through Blind Ring Type Joint

CUSTOM MANUFACTURED SEALS

Flexitallic supplies gaskets, with or without inserts, and other specialized machined metallic components to suit subsea and wellhead equipment.

BLIND RING TYPE JOINTS

Special Ring Type Joints can be manufactured to blank off flanges and pipework. They consist of standard Ring Type Joints with integral solid metallic centers.

Blind Ring Type Joints can be supplied in all standard materials and exotic alloys.

For further information on the specialized Ring Type Joint products, please contact Flexitallic's Technical Department.

For problematic ring type flange applications, the specialized Flexitallic "CG-RJ" Spiral Wound gasket design may also be considered.

SPECIALIZED RING TYPE JOINTS

For critical and non-standard applications, Flexitallic offers a range of specialized Ring Type Joints to suit the needs of the petrochemical industry.

TRANSITION RING TYPE JOINTS

These are combination rings which consist of two different sizes having the same pitch circle diameter. They are used for sealing Ring Type Joint flanges where the mating flanges have different ring groove diameters.

Transition Ring Type Joints can be manufactured from standard materials, as well as exotic alloys. Transition Ring Type Joints are available with either oval or octagonal facings and are not encompassed by the API specification.


SUBSEA GASKETS

Flexitallic is able to provide safe, dimensionally and functionally interchangeable subsea wellhead, mudline and tree equipment within the scope of API.


The performance requirement of pressure integrity, thermal integrity, material choice along with no observable leakage allowable are met with these sealing desires.

To distinguish from topside Ring Type Joints the suffix "s" is used to indicate the additional pressure passage hold in the ring cross section. This is to indicate the additional requirement to prevent pressure lock when connections are made up underwater.


API SBX RTJ







Transition Ring




STYLE RX WITH PTFE INSERTS

STYLE RX RING TYPE JOINTS WITH PTFE INSERTS

Style RX Ring Type Joints can also be supplied with PTFE inserts, in order to reduce turbulent flow and eliminate gasket/flange erosion. The insert is specially designed with radially drilled pressure passage holes so that the self energizing performance of the RX Ring Joint is not impaired.

As can be seen right, the insert is located between the inside diameter of the Ring Type Joint and the bore of the flange. On assembly, the insert is completely trapped between the make up of the flanges, filling the annular space between the flange bore and gasket.



Section through Oval Ring with Insert


Another gasket concept, with origins from the German industrial market, is welded gaskets. As standard, two variants exist, Welded Membrane gaskets in accordance with DIN 2695 and Weld Ring gaskets.

WELDED MEMBRANE GASKETS


The Welded Membrane gasket consists of two similar rings each of 0.157 inch thickness. For chemical compatibility and in order to ensure controlled thermal conductivity and weld compatibility, the gasket material must always be the same as the flange material. Each ring is individually welded to it's mating flange and upon flange assembly, a second welding operation ensures the joining of the rings on their outer diameter, thus providing a fully welded joint.

WELDED RING GASKETS


As with Membrane Welded Gaskets, Weld Ring Gaskets are utilized in pairs. As standard, each ring is 0.591 inches thick and manufactured to similar materials to that of the flange, thus ensuring full compatibility. All welding is conducted on the outside of the gasket and flange, thus ensuring ease of location, especially in restricted applications where space is of a minimum. Two styles exist, Style SR and Style SRL.



Single Seal Ring







Style SRL

Flexitallic Lens Rings, manufactured in accordance with DIN 2696, provide the engineer with a high integrity, high pressure/temperature seal for special applications.

Lens Rings have a spherical surface and are suitable for use with conical flange faces (other styles are available on request).


As standard, the gasket material should be softer than the flange material, thus ensuring that the applied compressive load leads to the elastic/plastic deformation of the Lens Ring and not the flange sealing face.

By applying higher loads on the gasket the contact area between the Lens Ring and the flange increases. This prevents the gasket from being overstressed.

As with all metallic joints, the re-use of Lens Rings is not recommended. During assembly and use, work hardening of the material occurs. With subsequent re-use, increased bolt loads are required to achieve similar sealing performance. This can lead to damage to the flange faces.




Lens rings



Cross Section of Lens

FLEXITALLIC PRODUCT RANGE



Spiral wound gasket

- Available in a variety of materials for metal winding strip, filler, and guide ring
- Style CG, CGI, R, and RIR
- Meets ASME B16.20
 standards
- Class 150 to 2500
- NPS 1/2" to 60"



Sigma

- Biaxially orientated PTFE sheet sealing materials
- PTFE sheet materials are available in a variety of forms and levels
- · Long term stress retention benefit
- · High level of chemical resistance
- · Conform to FDA Regulations
- Cryogenic to 500°F (260°C)



THERMICULITE

- Will not oxidize, even at temperatures higher than 1800°F (580°C)
- Superb level of tightness even at 930°F (500°C)
- Maximum recommended pressure is 2900 psi
- Available in sheets, spiral wound and Flexpro gaskets



FLEXPRO GASKET (Kammprofile)

- Precision serrated metallic core with
- the additions of soft gasket materialsSuitable from vacuum to Class 2500 and higher
- Suitable from cryogenics to 2000°F (1100°C), depending on core and facing materials




RTJ GASKETS

- Style R gaskets are manufactured in accordance with both API 6A and ASME B16.20 size/ratings
- Manufactured from fully traceable materials
- Available in both oval and octagonal configurations



SHEET MATERIALS

- Temperature ranges from ambient to 800°F (425°C)
- Excellent torque retention
- · Good chemical resistance
- Wide range of elastomers for chemical compatibility
- Excellent sealability for wide range of chemicals



Heat exchangers

- Metal jacketed gaskets
- Corrugated
- Solid metal
- · Metal Reinforced Gasket
- Other engineered gaskets to seal challenging heat exchanger applications



Fluoroseal

- 100% PTFE inert and resistant to chemicals and corrosive environments
- Chemically resistant 1 14 pH range
- Withstands high pressures up to 3000 psi
- Wide temperature range from -400°F (-240°C) to +500°F (260°C)

The content of this Dimensional and Order Guide relates to Flexitallic's products as supplied. The information contained herein is given in good faith, but no liability will be accepted in relation to same. The revision of products, pursuant to Flexitallic's policy of continuous development, as well as the acquisition of further information, may necessitate revisions to parts or all of this document. Flexitallic's factorical Sales Department will be pleased to update customers, on request. As the company's products are used for a multiplicity of purposes, and as Flexitallic has no control over the method of their application or use, Flexitallic must exclude all conditions or warranties, express or implied, as to their products and/or their fitness for any particular purpose. Any technical cooperation between the Company and its customers is given for the customer's assistance only, and without liability on the part of Flexitallic.

Flexitallic L.P. guarantees that any product of its manufacture, which, upon examination by a Flexitallic representative, is found to be defective in either workmanship or material whereby it is suitable under proper usage and service for the purpose for which is was designed, will be replaced or repaired free of charge including transportation charges but not cost of installation or, at our option, the purchase price will be refunded. The products are not guaranteed as to performance under any specific service nor for any specific period of time. The sale of our products under any other warranty or guarantee express or implied is not authorized by the company.

WARNING:

Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation for suitability. For specific application recommendations consult Flexitallic. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in-house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specifications subject to change without notice. This edition cancels all previous issues. Subject to change without notice.

Flexitallic is a registered trademark for gaskets, seals and other products of Flexitallic.



Flexitallic

Flexitallic L.P.

6915 Hwy 225 Deer Park, Texas 77536 United States Tel: +1 281-604-2400 Fax: +1 281-604-2415

Flexitallic Ltd.

Scandinavia Mills, Hunsworth Lane Cleckheaton, West Yorkshire, BD19 4LN - UK, England Tel: +44 1274-851273 Fax: +44 1274-300303

http://www.flexitallic.com

Members of The flexitallic Group